


**Elevation B 2 Car - Sheet List**

Sheet Number	Sheet Name
ElevB-2Car-Pg1	Front & Rear Elevations
ElevB-2Car-Pg2	Side Elevations
ElevB-2Car-Pg3	1st Floor Plan
ElevB-2Car-Pg4	2nd Floor Plan
ElevB-2Car-Pg5	Roof Plan
ElevB-2Car-Pg6	Electrical & Flooring Plan
Pg7	Interior Elevations
Pg8	Door Penetrations



1 Front Elevation - Elev B - 2 Car Garage  
1/8" = 1'-0"



2 Rear Elevation - Elev B - 2 Car Garage  
1/8" = 1'-0"

**Area Schedule (Elev B 2Car)**

Name	Area
Heated	
1st Floor	595 SF
2nd Floor	913 SF
Unheated	1508 SF
Front Porch	73 SF
Garage	438 SF
Under Roof	511 SF
	2019 SF

CONTRACTOR AND SUBLETTOR SHALL REVIEW ALL CURRENT APPLICABLE CODES IN EFFECT AT TIME OF CONSTRUCTION. BY USING THESE APPLICABLE CODES, THE CONTRACTOR AND SUBLETTOR UNDERSTOOD THAT CONFORMANCE WITH ALL APPLICABLE CODES IS THE RESPONSIBILITY OF THE SUBLETTOR AND CONTRACTOR.



1508 LH - Elevation B 2Car  
Front & Rear Elevations

Lot #: \_\_\_\_\_  
Job #: \_\_\_\_\_  
Address: \_\_\_\_\_  
Community: \_\_\_\_\_

Last Revision Date:  
11-27-23

Sheet #:  
ElevB-2Car-Pg1


OWNER AND BUILDER SHALL REVIEW ALL CURRENT APPLICABLE CODES IN EFFECT AT TIME OF CONSTRUCTION. BY USING THESE APPLICABLE CODES, THE RESPONSIBILITY OF THE STUDY AND CONTRACTOR.

1508 LH - Elevation B 2Car  
Side Elevations


Job #:  
Address:  
Community:  
Lot #:

Last Revision Date:  
11-27-23

Sheet #:  
ElevB-2Car-Pg2



1 Left Elevation - Elev B - 2 Car Garage  
1/8" = 1'-0"



2 Right Elevation - Elev B - 2 Car Garage  
1/8" = 1'-0"

CONTRACTOR AND BUILDER SHALL REVIEW THIS PLAN FOR CONFORMANCE WITH ALL CURRENT APPLICABLE CODES IN EFFECT AT THE TIME OF CONSTRUCTION. BY USING THESE PLANS, THE CONTRACTOR AND BUILDER UNDERSTOOD THAT CONFORMANCE WITH ALL APPLICABLE CODES IS THE RESPONSIBILITY OF THE SUBMITTER AND CONTRACTOR.

1508 LH - Elevation B 2Car  
1st Floor Plan

Lot #:

Job #:  
Address:


Community:

Last Revision Date:  
11-27-23

Sheet #:

ElevB-2Car-Pg3

TABLE F0022E Dwelling Garage Separation	
Separation	Material
From the residence and decks	Not less than 2-inch gypsum board or equivalent applied to the garage side
From all habitable rooms above the garage	Not less than 1/2-inch Type X gypsum board
Structural supporting non-bearing assemblies used for separation required in this section	Not less than 14" x 12" gypsum board or equivalent



1 1st Floor Plan - Elev B - 2 Car Garage  
1/8" = 1'-0"




CONTRACTOR AND BUILDER SHALL REVIEW ALL CURRENT APPLICABLE CODES IN EFFECT AT TIME OF CONSTRUCTION. BY USING THESE APPLICABLE CODES, THE RESPONSIBILITY OF THE STUDY AND CONTRACTOR.

1508 LH - Elevation B 2Car  
2nd Floor Plan

Job #: \_\_\_\_\_  
Address: \_\_\_\_\_  
Community: \_\_\_\_\_

Last Revision Date:  
11-27-23

Sheet #:  
ElevB-2Car-Pg4



1 2nd Floor Plan - Elev B - 2 Car Garage  
1/8" = 1'-0"